

new/usr/src/cmd/svc/profile/generic\_limited\_net.xml

1

```
*****
13562 Mon Aug 15 12:48:23 2016
new/usr/src/cmd/svc/profile/generic_limited_net.xml
XXX Enable lightdm by default
*****
1 <?xml version='1.0'?>
2 <!DOCTYPE service_bundle SYSTEM '/usr/share/lib/xml/dtd/service_bundle.dtd.1'>
3 <!--
4 CDDL HEADER START

6 The contents of this file are subject to the terms of the
7 Common Development and Distribution License (the "License").
8 You may not use this file except in compliance with the License.

10 You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
11 or http://www.opensolaris.org/os/licensing.
12 See the License for the specific language governing permissions
13 and limitations under the License.

15 When distributing Covered Code, include this CDDL HEADER in each
16 file and include the License file at usr/src/OPENSOLARIS.LICENSE.
17 If applicable, add the following below this CDDL HEADER, with the
18 fields enclosed by brackets "[]" replaced with your own identifying
19 information: Portions Copyright [yyyy] [name of copyright owner]

21 CDDL HEADER END

23 Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 Use is subject to license terms.

26 The purpose of the limited_net profile is to provide a set of
27 active services that allow one to connect to the machine via ssh
28 (requires sshd). The services which are deactivated here are those
29 that are at odds with this goal. Those which are activated are
30 explicit requirements for the goal's satisfaction.

32 NOTE: Service profiles delivered by this package are not editable,
33 and their contents will be overwritten by package or patch
34 operations, including operating system upgrade. Make customizations
35 in a distinct file. The paths, /etc/svc/profile/site.xml and
36 /var/svc/profile/site.xml, are distinguished locations for site-specific
37 service profile, treated otherwise equivalently to this file.
38 -->
39 <service_bundle type='profile' name='generic_limited_net'
40 xmlns:xi='http://www.w3.org/2003/XInclude' >
41 <!--
42 Include name service profile, as set by system id tools.
43 -->
44 <xi:include href='file:/etc/svc/profile/name_service.xml' />

46 <!--
47 svc.startd(1M) services
48 -->
49 <service name='system/coreadm' version='1' type='service'>
50 <instance name='default' enabled='true' />
51 </service>
52 <service name='system/cron' version='1' type='service'>
53 <instance name='default' enabled='true' />
54 </service>
55 <service name='system/cryptosvc' version='1' type='service'>
56 <instance name='default' enabled='true' />
57 </service>
58 <service name='system/dbus' version='1' type='service'>
59 <instance name='default' enabled='true' />
60 </service>
61 <service name='system/extended-accounting' version='1' type='service'>
```

new/usr/src/cmd/svc/profile/generic\_limited\_net.xml

2

```
62 <instance name='flow' enabled='false' />
63 <instance name='process' enabled='false' />
64 <instance name='task' enabled='false' />
65 <instance name='net' enabled='false' />
66 </service>
67 <service name='system/hal' version='1' type='service'>
68 <instance name='default' enabled='true' />
69 </service>
70 <service name='system/identity' version='1' type='service'>
71 <instance name='domain' enabled='true' />
72 </service>
73 <service name='system/intrd' version='1' type='service'>
74 <instance name='default' enabled='true' />
75 </service>
76 <service name='system/keymap' version='1' type='service'>
77 <instance name='default' enabled='true' />
78 </service>
79 <service name='system/picl' version='1' type='service'>
80 <instance name='default' enabled='true' />
81 </service>
82 <service name='system/sac' version='1' type='service'>
83 <instance name='default' enabled='true' />
84 </service>
85 <service name='system/scheduler' version='1' type='service'>
86 <instance name='default' enabled='true' />
87 </service>
88 <service name='system/system-log' version='1' type='service'>
89 <instance name='default' enabled='true' />
90 </service>
91 <service name='system/utmp' version='1' type='service'>
92 <instance name='default' enabled='true' />
93 </service>
94 <service name='system/zones' version='1' type='service'>
95 <instance name='default' enabled='true' />
96 </service>
97 <service name='network/rpc/bind' version='1' type='service'>
98 <instance name='default' enabled='true' />
99 </service>
100 <service name='system/name-service-cache' version='1' type='service'>
101 <instance name='default' enabled='true' />
102 </service>
103 <service name='network/nfs/status' version='1' type='service'>
104 <instance name='default' enabled='false' />
105 </service>
106 <service name='network/nfs/nlockmgr' version='1' type='service'>
107 <instance name='default' enabled='false' />
108 </service>
109 <service name='network/nfs/client' version='1' type='service'>
110 <instance name='default' enabled='false' />
111 </service>
112 <service name='network/nfs/server' version='1' type='service'>
113 <instance name='default' enabled='false' />
114 </service>
115 <service name='network/nfs/rquota' version='1' type='service'>
116 <instance name='default' enabled='false' />
117 </service>
118 <service name='network/nfs/cbd' version='1' type='service'>
119 <instance name='default' enabled='false' />
120 </service>
121 <service name='network/nfs/mapid' version='1' type='service'>
122 <instance name='default' enabled='false' />
123 </service>
124 <service name='network/smb/client' version='1' type='service'>
125 <instance name='default' enabled='false' />
126 </service>
```

```

128 <service name='network/ssh' version='1' type='service'>
129   <instance name='default' enabled='true' />
130 </service>
131 <service name='network/smtp' version='1' type='service'>
132   <instance name='sendmail' enabled='true' />
133 </service>
134 <service name='network/sendmail-client' version='1' type='service'>
135   <instance name='default' enabled='true' />
136 </service>
137 <service name='network/inetd' version='1' type='restarter'>
138   <instance name='default' enabled='true' />
139 </service>
140 <service name='system/filesystem/autofs' version='1' type='service'>
141   <instance name='default' enabled='true' />
142 </service>
143 <service name='system/filesystem/rmvolmgr' version='1' type='service'>
144   <instance name='default' enabled='true' />
145 </service>
146 <service name='system/power' version='1' type='service'>
147   <instance name='default' enabled='true' />
148 </service>

150 <service name='network/dns/multicast' version='1' type='service'>
151   <instance name='default' enabled='false' />
152 </service>
153 <service name='network/dhcp-server' version='1' type='service'>
154   <instance name='default' enabled='false' />
155 </service>
156 <service name='network/ntp' version='1' type='service'>
157   <instance name='default' enabled='false' />
158 </service>
159 <service name='network/rarp' version='1' type='service'>
160   <instance name='default' enabled='false' />
161 </service>
162 <service name='network/slp' version='1' type='service'>
163   <instance name='default' enabled='false' />
164 </service>
165 <service name='network/security/kadmind' version='1' type='service'>
166   <instance name='default' enabled='false' />
167 </service>
168 <service name='network/security/krb5_prop' version='1' type='service'>
169   <instance name='default' enabled='false' />
170 </service>
171 <service name='network/security/krb5kdc' version='1' type='service'>
172   <instance name='default' enabled='false' />
173 </service>

175 <service name='application/management/net-snmp' version='1' type='service'>
176   <instance name='default' enabled='false' />
177 </service>
178 <service name='application/management/seaport' version='1' type='service'>
179   <instance name='default' enabled='false' />
180 </service>
181 <service name='application/management/snmpdx' version='1' type='service'>
182   <instance name='default' enabled='false' />
183 </service>
184 <service name='application/management/wbem' version='1' type='service'>
185   <instance name='default' enabled='true' />
186 </service>
187 <service name='application/print/ipp-listener' version='1' type='service'>
188   <instance name='default' enabled='false' />
189 </service>
190 <service name='application/print/ppd-cache-update' version='1' type='service'>
191   <instance name='default' enabled='true' />
192 </service>
193 <service name='application/print/rfcl179' version='1' type='service'>

```

```

194   <instance name='default' enabled='false' />
195 </service>
196 <service name='application/cups/in-lpd' version='1' type='service'>
197   <instance name='default' enabled='false' />
198 </service>
199 <service name='application/stosreg' version='1' type='service'>
200   <instance name='default' enabled='true' />
201 </service>

203 <!--
204   default inetd(1M) services
205 -->
206 <service name='network/finger' version='1' type='service'>
207   <instance name='default' enabled='false' />
208 </service>
209 <service name='network/login' version='1' type='service'>
210   <instance name='rlogin' enabled='false' />
211   <instance name='klogin' enabled='false' />
212   <instance name='eklogin' enabled='false' />
213 </service>
214 <service name='network/shell' version='1' type='service'>
215   <instance name='default' enabled='false' />
216   <instance name='kshell' enabled='false' />
217 </service>
218 <service name='network/telnet' version='1' type='service'>
219   <instance name='default' enabled='false' />
220 </service>

222 <!--
223   non-default inetd(1M) services
224 -->
225 <service name='network/uucp' version='1' type='service'>
226   <instance name='default' enabled='false' />
227 </service>
228 <service name='network/chargen' version='1' type='service'>
229   <instance name='stream' enabled='false' />
230   <instance name='dgram' enabled='false' />
231 </service>
232 <service name='network/daytime' version='1' type='service'>
233   <instance name='stream' enabled='false' />
234   <instance name='dgram' enabled='false' />
235 </service>
236 <service name='network/discard' version='1' type='service'>
237   <instance name='stream' enabled='false' />
238   <instance name='dgram' enabled='false' />
239 </service>
240 <service name='network/echo' version='1' type='service'>
241   <instance name='stream' enabled='false' />
242   <instance name='dgram' enabled='false' />
243 </service>
244 <service name='network/time' version='1' type='service'>
245   <instance name='stream' enabled='false' />
246   <instance name='dgram' enabled='false' />
247 </service>
248 <service name='network/comsat' version='1' type='service'>
249   <instance name='default' enabled='false' />
250 </service>
251 <service name='network/rexec' version='1' type='service'>
252   <instance name='default' enabled='false' />
253 </service>
254 <service name='network/talk' version='1' type='service'>
255   <instance name='default' enabled='false' />
256 </service>
257 <service name='network/stdiscover' version='1' type='service'>
258   <instance name='default' enabled='false' />
259 </service>

```

```

260 <service name='network/stlisten' version='1' type='service'>
261   <instance name='default' enabled='false' />
262 </service>

264 <!--
265   default inetd(1M) RPC services enabled
266 -->
267 <service name='network/rpc/gss' version='1' type='service'>
268   <instance name='default' enabled='true' />
269 </service>
270 <service name='network/rpc/mdcomm' version='1' type='service'>
271   <instance name='default' enabled='false' />
272 </service>
273 <service name='network/rpc/smsserver' version='1' type='service'>
274   <instance name='default' enabled='true' />
275 </service>
276 <service name='network/security/ktkt_warn' version='1' type='service'>
277   <instance name='default' enabled='true' />
278 </service>

280 <!--
281   default inetd(1M) RPC services disabled
282 -->
283 <service name='network/rpc/rstat' version='1' type='service'>
284   <instance name='default' enabled='false' />
285 </service>
286 <service name='network/rpc/rusers' version='1' type='service'>
287   <instance name='default' enabled='false' />
288 </service>
289 <service name='network/rpc/meta' version='1' type='service'>
290   <instance name='default' enabled='false' />
291 </service>
292 <service name='network/rpc/metamed' version='1' type='service'>
293   <instance name='default' enabled='false' />
294 </service>
295 <service name='network/rpc/metamh' version='1' type='service'>
296   <instance name='default' enabled='false' />
297 </service>

299 <!--
300   non-default inetd(1M) RPC services disabled
301 -->
302 <service name='network/rpc/rex' version='1' type='service'>
303   <instance name='default' enabled='false' />
304 </service>
305 <service name='network/rpc/spray' version='1' type='service'>
306   <instance name='default' enabled='false' />
307 </service>
308 <service name='network/rpc/wall' version='1' type='service'>
309   <instance name='default' enabled='false' />
310 </service>

312 <!--
313   Disable Avahi mDNS bridge service
314 -->
315 <service name='system/avahi-bridge-dsd' version='1' type='service'>
316   <instance name='default' enabled='false' />
317 </service>

319 <!--
320   Enable CDE/ToolTalk/GDM services.
321 -->
322 <service name='network/rpc/cde-ttdbserver' version='1' type='service'>
323   <instance name='tcp' enabled='true' />
324 </service>
325 <service name='application/graphical-login/gdm' version='1'

```

```

326   type='service'>
327   <instance name='default' enabled='true' />
328 </service>
329 <service name='application/graphical-login/lightdm' version='1'
330   type='service'>
331   <instance name='default' enabled='true' />
332 </service>
333 #endif /* ! codereview */
334 <service name='network/rpc/cde-calendar-manager' version='1' type='service'>
335   <instance name='default' enabled='true' />
336 </service>

338 <!--
339   Disable X11 services.
340 -->
341 <service name='application/x11/xfs' version='1' type='service'>
342   <instance name='default' enabled='false' />
343 </service>

345 <!--
346   Enable VNC config service for xVM
347 -->
348 <service name='system/xvm/vnc-config' version='1' type='service'>
349   <instance name='default' enabled='true' />
350 </service>

352 <service name='system/xvm/ipagent' version='1' type='service'>
353   <instance name='default' enabled='true' />
354 </service>

356 </service_bundle>

```

```

*****
7582 Mon Aug 15 12:48:24 2016
new/usr/src/cmd/svc/profile/generic_open.xml
XXX Enable lightdm by default
*****
1 <?xml version='1.0'?>
2 <!DOCTYPE service_bundle SYSTEM '/usr/share/lib/xml/dtd/service_bundle.dtd.1'>
3 <!--
4 CDDL HEADER START

6 The contents of this file are subject to the terms of the
7 Common Development and Distribution License (the "License").
8 You may not use this file except in compliance with the License.

10 You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
11 or http://www.opensolaris.org/os/licensing.
12 See the License for the specific language governing permissions
13 and limitations under the License.
14
15 When distributing Covered Code, include this CDDL HEADER in each
16 file and include the License file at usr/src/OPENSOLARIS.LICENSE.
17 If applicable, add the following below this CDDL HEADER, with the
18 fields enclosed by brackets "[]" replaced with your own identifying
19 information: Portions Copyright [yyyy] [name of copyright owner]

21 CDDL HEADER END

23 Copyright 2010 Sun Microsystems, Inc. All rights reserved.
24 Use is subject to license terms.

26 Default service profile, containing a typical set of active service
27 instances.

29 NOTE: Service profiles delivered by this package are not editable,
30 and their contents will be overwritten by package or patch
31 operations, including operating system upgrade. Make customizations
32 in a different file. The paths, /etc/svc/profile/site.xml and
33 /var/svc/profile/site.xml, are distinguished location for site-specific
34 service profiles, treated otherwise equivalently to this file.
35 -->
36 <service_bundle type='profile' name='generic_open'
37 xmlns:xi='http://www.w3.org/2003/XInclude' >
38 <!--
39 Include name service profile, as set by system id tools.
40 -->
41 <xi:include href='file:/etc/svc/profile/name_service.xml' />

43 <!--
44 svc.startd(1M) services
45 -->
46 <service name='system/coreadm' version='1' type='service'>
47 <instance name='default' enabled='true' />
48 </service>
49 <service name='system/cron' version='1' type='service'>
50 <instance name='default' enabled='true' />
51 </service>
52 <service name='system/cryptosvc' version='1' type='service'>
53 <instance name='default' enabled='true' />
54 </service>
55 <service name='system/dbus' version='1' type='service'>
56 <instance name='default' enabled='true' />
57 </service>
58 <service name='system/extended-accounting' version='1' type='service'>
59 <instance name='flow' enabled='false' />
60 <instance name='process' enabled='false' />
61 <instance name='task' enabled='false' />

```

```

62 <instance name='net' enabled='false' />
63 </service>
64 <service name='system/hal' version='1' type='service'>
65 <instance name='default' enabled='true' />
66 </service>
67 <service name='system/identity' version='1' type='service'>
68 <instance name='domain' enabled='true' />
69 </service>
70 <service name='system/intrd' version='1' type='service'>
71 <instance name='default' enabled='true' />
72 </service>
73 <service name='system/keymap' version='1' type='service'>
74 <instance name='default' enabled='true' />
75 </service>
76 <service name='system/picl' version='1' type='service'>
77 <instance name='default' enabled='true' />
78 </service>
79 <service name='system/sac' version='1' type='service'>
80 <instance name='default' enabled='true' />
81 </service>
82 <service name='system/scheduler' version='1' type='service'>
83 <instance name='default' enabled='true' />
84 </service>
85 <service name='system/system-log' version='1' type='service'>
86 <instance name='default' enabled='true' />
87 </service>
88 <service name='system/utmp' version='1' type='service'>
89 <instance name='default' enabled='true' />
90 </service>
91 <service name='system/zones' version='1' type='service'>
92 <instance name='default' enabled='true' />
93 </service>
94 <service name='network/rpc/bind' version='1' type='service'>
95 <instance name='default' enabled='true' />
96 </service>
97 <service name='system/name-service-cache' version='1' type='service'>
98 <instance name='default' enabled='true' />
99 </service>
100 <service name='network/nfs/status' version='1' type='service'>
101 <instance name='default' enabled='true' />
102 </service>
103 <service name='network/nfs/nlockmgr' version='1' type='service'>
104 <instance name='default' enabled='true' />
105 </service>
106 <service name='network/nfs/client' version='1' type='service'>
107 <instance name='default' enabled='true' />
108 </service>
109 <service name='network/nfs/server' version='1' type='service'>
110 <instance name='default' enabled='true' />
111 </service>
112 <service name='network/nfs/cbd' version='1' type='service'>
113 <instance name='default' enabled='true' />
114 </service>
115 <service name='network/nfs/mapid' version='1' type='service'>
116 <instance name='default' enabled='true' />
117 </service>
118 <service name='network/smb/client' version='1' type='service'>
119 <instance name='default' enabled='true' />
120 </service>
121 <service name='network/ssh' version='1' type='service'>
122 <instance name='default' enabled='true' />
123 </service>
124 <service name='network/smtp' version='1' type='service'>
125 <instance name='sendmail' enabled='true' />
126 </service>
127 <service name='network/sendmail-client' version='1' type='service'>

```

```

128     <instance name='default' enabled='true' />
129 </service>
130 <service name='network/inetd' version='1' type='restarter'>
131     <instance name='default' enabled='true' />
132 </service>
133 <service name='system/filesystem/autofs' version='1' type='service'>
134     <instance name='default' enabled='true' />
135 </service>
136 <service name='system/filesystem/rmvolmgr' version='1' type='service'>
137     <instance name='default' enabled='true' />
138 </service>
139 <service name='system/power' version='1' type='service'>
140     <instance name='default' enabled='true' />
141 </service>
142 <service name='network/dns/multicast' version='1' type='service'>
143     <instance name='default' enabled='true' />
144 </service>
146 <service name='application/management/net-snmp' version='1' type='service'>
147     <instance name='default' enabled='true' />
148 </service>
149 <service name='application/management/seaport' version='1' type='service'>
150     <instance name='default' enabled='true' />
151 </service>
152 <service name='application/management/snmpdx' version='1' type='service'>
153     <instance name='default' enabled='true' />
154 </service>
155 <service name='application/management/wbem' version='1' type='service'>
156     <instance name='default' enabled='true' />
157 </service>
158 <service name='application/print/ppd-cache-update' version='1' type='service'>
159     <instance name='default' enabled='true' />
160 </service>
161 <service name='application/stosreg' version='1' type='service'>
162     <instance name='default' enabled='true' />
163 </service>
165 <!--
166     Enable GDM services.
167 -->
168 <service name='application/graphical-login/gdm' version='1'
169     type='service'>
170     <instance name='default' enabled='true' />
171 </service>
172 <service name='application/graphical-login/lightdm' version='1'
173     type='service'>
174     <instance name='default' enabled='true' />
175 </service>
176 #endif /* ! codereview */
178 <service name='application/x11/xfs' version='1' type='service'>
179     <instance name='default' enabled='true' />
180 </service>
182 <!--
183     Enable VNC config service for xVM
184 -->
185 <service name='system/xvm/vnc-config' version='1' type='service'>
186     <instance name='default' enabled='true' />
187 </service>
189 <service name='system/xvm/ipagent' version='1' type='service'>
190     <instance name='default' enabled='true' />
191 </service>
193 <!--

```

```

194     Include inetd(1M) services profile.
195 -->
196 <xi:include href='file:/etc/svc/profile/inetd_services.xml' />
197 </service_bundle>

```